

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	control\$5 near message with SQL and @ad<= "2001203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:48
L2	0	control\$5 near message with database with query and @ad<= "2001203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:48
L3	0	control\$5 near2 (block message) with database with query and ECM and @ad<= "2001203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:48
L4	0	control\$5 near2 (block message) with SQL and ECM and @ad<= "2001203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:48
L5	0	control\$5 near2 (block message) with SQL and @ad<= "2001203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:49
L6	0	(control\$5 condition\$3) near2 (block message) with SQL and @ad<= "2001203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:49
L7	0	(control\$5 condition\$3) near2 (block message) with structur\$9 with language and @ad<= "2001203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:49
L8	1	(control\$5 condition\$3) near2 (block message) and @ad<= "2001203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:49
L9	162198	(control\$5 condition\$3) near2 (block message) and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:50
L10	73	(control\$5 condition\$3) near2 (block message) with SQL and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:50
L11	0	(control\$5 condition\$3) near2 (block message) with SQL and ECM and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:50
L12	12	(control\$5 condition\$3) near2 (access block message) with SQL and tv and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:51
L13	0	EMM with ECM with (compar \$5 match\$5 determin\$9 verif \$9) with query and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:52

L14	0	EMM with ECM with (compar\$5 match\$5 determin\$9 verif\$9) with structur\$9 with language and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:52
L15	0	EMM with ECM with (compar\$5 match\$5 determin\$9 verif\$9) and structur\$9 with language and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:52
L16	9	EMM with ECM and structur\$9 with language and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:52
L17	20	EMM with ECM and query and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 12:58
L18	3	EMM with ECM with (compar\$8 match\$5 verif\$9) with (language query) and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:03
L19	0	SQL with (set\$top terminal) with access with broadcast and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:13
L20	1	SQL with (set\$top) and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:14
L21	2	"20020114465".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:15
L22	0	entitlement with control with message with (SQL language) and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:22
L23	2	entitlement with control with (SQL language) and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:22
L24	1	"20020114465".pn. and compar\$5 and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:29
L25	1	"20020114465".pn. and (authenticat\$5 verfi\$9) and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:31
L26	16	condition\$5 with access with structur\$5 with language and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:36
L27	2	electronic with program with guide with entitlement with control\$5 with message and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:42
L28	53	electronic with program with guide with condition and @ad<= "20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 13:51

L29	15	electronic with program with guide with viewable and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 15:25
L30	85	electronic with program with guide with access with (restriction control\$5) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 15:28
L31	3	electronic with program with guide with access with entitlement and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 15:32
L32	18	electronic with program with guide with entitlement and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 15:33
L33	216	electronic with program with guide and (compar\$5 match \$5 authenticat\$5 verif\$9 collat\$5) with (ECM EMM right subscription condition) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 15:47
L34	27	electronic with program with guide and display\$5 with (compar\$5 match\$5 authenticat\$5 verif\$9 collat \$5) with (ECM EMM right subscription condition) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 15:47
L35	4	electronic with program with guide with ECM and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 15:53
L36	1589	((electronic with program with guide) or EPG) with (CONDITION ECM RIGHT CONTROL\$3) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 15:54
L37	251	((electronic with program with guide) or EPG) with (CONDITION ECM RIGHT) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 15:54
L38	20	((electronic with program with guide) or EPG) with ((access near (condition RIGHT)) ecm) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:01
L39	0	((electronic with program with guide) or EPG) with condition near block and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:07
L40	18	((electronic with program with guide) or EPG) with (ecm (control\$5 near message)) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:08

L41	309	((electronic with program with guide) or EPG) with (indicat\$5 display\$5 show\$3 demonstrat\$5) with (authorized subscribed available purchased) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:10
L42	3	((electronic with program with guide) or EPG) with (indicat\$5 display\$5 show\$3 demonstrat\$5) with (authorized subscribed available purchased) and emm with ecm and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:10
L43	110	((electronic with program with guide) or EPG) with (indicat\$5 display\$5 show\$3 demonstrat\$5) near2 (authorized subscribed available purchased) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:11
L44	162	((electronic with program with guide) or EPG) with (indicat\$5 display\$5 show\$3 demonstrat\$5) near2 (authorized subscribed available purchased icon) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:14
L45	52	44 not 43	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:15
L46	18	((electronic with program with guide) or EPG) with (highlight icon) with (purchased subscribed available) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:22
L47	0	((electronic with program with guide) or EPG) with match\$5 with EMM and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:35
L48	19	((electronic with program with guide) or EPG) with EMM and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:35
L49	1	((electronic with program with guide) or EPG) with match\$6 with (contract subscri\$6) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:39

L50	626	((electronic with program with guide) or EPG) same (compar\$5 match\$5 collat\$5 verif\$9) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:42
L51	141	((electronic with program with guide) or EPG) same (compar\$5 match\$5 collat\$5 verif\$9).ab. and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:42
L52	22	((electronic with program with guide) or EPG) same (compar\$5 match\$5 collat\$5 verif\$9) with (entitlement condition rights) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:43
L53	7	((electronic with program with guide) or EPG) same (compar\$5 match\$5 collat\$5 verif\$9) with (contract subscription plan) and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 16:52
L54	8	((electronic with program with guide) or EPG) with structured with language and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:37
L55	0	set\$top with box with structured with language and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:40
L56	1	set\$top with box with SQL and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:40
L57	0	sql with EPQ and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:41
L58	11	sql with EPG and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:41
L59	0	ECM with EMM with SQL and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:43
L60	4	ECM with EMM with structur\$5 and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:43
L61	0	"20020114465".pn. and guide and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:47
L62	2	"20020114465".pn. and display\$5 and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:47

L63	1	"20010020297".pn. and encrypt\$5 and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:48
L64	0	"20010020297".pn. and control near message and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:50
L65	0	"20010020297".pn. and ECM and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 17:50
L66	2	"20010020297".pn. and EPG with program with information and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 18:14
L67	1	"20010020297".pn. and encrypted and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 18:43
L68	1	"20010020297".pn. and read with information and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 18:47
L69	2	"20010020297".pn. and program with information and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 18:49
L70	1	"20010020297".pn. and encrypt\$5 and @ad<="20021203"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/02 18:52

8/2/08 7:00:30 PM

C:\Documents and Settings\ SChen4\ My Documents\ EAST\ Workspaces\ 10537306- rce.wsp